



BUILDING DEPARTMENT
 VILLAGE OF GREENPORT
 236 Third Street, Greenport, NY 11944

RECEIVED

OCT 04 2022

VILLAGE OF GREENPORT
 BUILDING DEPARTMENT

HISTORIC PRESERVATION COMMISSION REVIEW

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

PURSUANT TO THE PROVISIONS OF CHAPTER 48
 HISTORIC PRESERVATION LAW OF THE VILLAGE OF GREENPORT

DATE OF APPLICATION: 10-4-22
 LOCATION OF PROPERTY: 721 Main Street, Gtpt, NY 11944
 SUFFOLK COUNTY TAX MAP NUMBER: 1001-2-5-37
 PROPERTY OWNER: Georgar Sarkis
 ADDRESS: [REDACTED] PHONE: [REDACTED]
 EMAIL ADDRESS: [REDACTED]
 ARCHITECT/DESIGNER: NJ Mazzaterra, PE
 ADDRESS: PO Box 57, Gtpt, NY 11944 PHONE: 516-457-5596
 EMAIL ADDRESS: nickmazzaterra@verizon.net

Type of Proposed Work

COMMERCIAL RESIDENTIAL

Site Work

- ___ FENCE AND GATES
- ___ DRIVEWAY, WALK, PATIO, OTHER PAVEMENT
- ___ MAJOR EXCAVATION OR REGRADING, OR BERM
- ___ SWIMMING POOL, TENNIS COURT
- ___ OTHER STRUCTURAL LANDSCAPE ELEMENT
- ___ SIGNAGE AND AWNINGS - SUBMIT SCALE DRAWINGS TO INDICATING TO FOLLOWING:
 - SIZE OF EACH SIGN
 - COLOR
 - FONT
 - LOCATIONS OF ALL SIGNAGE AND AWNINGS ON BUILDING
 - PROPOSED MATERIALS
- ___ MODERN FEATURES
 - SOLAR PANELS
 - SKYLIGHTS
 - OUTDOOR SHOWERS
 - OTHER


Landscape Planting

- ___ HEDGE ALONG STREET AND/OR PROPERTY BOUNDARY LINES
- ___ PLANTINGS INTENDED TO SCREEN OTHER WORK DESCRIBED IN THIS APPLICATION



721 MAIN STREET
FRONT VIEW - EXISTING

GAF Timberline[®]HDZ™
High Definition[®] Shingles



North America's #1-selling shingle just got better!

The same shingle you know and love,
now with LayerLock™ Technology
which powers the industry's widest
nailing area.




Timberline® HDZ™ Shingles

Benefits:

- **LayerLock™ Technology** — Proprietary technology mechanically fuses the common bond between overlapping shingle layers.
- **Up to 99.9% nailing accuracy** — The StrikeZone™ nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test.¹
- **WindProven™ Limited Wind Warranty** — When installed with the required combination of GAF Accessories, Timberline® HDZ™ Shingles are eligible for an industry first: a wind warranty with no maximum wind speed limitation.²
- Our legendary **Dura Grip™** sealant pairs with the smooth microgranule surface of the StrikeZone™ nailing area for fast tack. Then, an asphalt-to-
- asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- **StainGuard® Algae Protection** — Helps protect the beauty of your roof against unsightly blue-green algae discoloration.³
- **Seamless compatibility** — The new Timberline® HDZ™ Shingles are compatible with traditional Timberline HD® Shingles for the same look and feel homeowners and contractors rely on for beauty and endurance.⁴
- **Perfect Finishing Touch** — For the best look, use TimberTex® Premium Ridge Cap Shingles or TimberCrest™ Premium SBS-Modified Ridge Cap Shingles.

Colors & Availability:



Product details:

Product/System Specifics

- Fiberglass asphalt construction
- Dimensions (approx.): 13 1/4" x 39 1/2" (337 x 1,000 mm)
- Exposure: 5 3/4" (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard® Algae Protection³
- Hip/Ridge: TimberTex®; TimberCrest™; Seal-A-Ridge®; Ridglass®
- Starter: Pro-Start™; QuickStart™; WeatherBlocker™

Applicable Standards & Protocols:

- UL Listed to ANSI/UL 790 Class A
- Classified by UL in accordance with ICC-ES AC438
- Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
- Meets ASTM D3462⁵
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets CSA A123.6

Details based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD® Shingles to Timberline® HDZ™ Shingles on a 16-square roof deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.

¹ 10-year WindProven™ limited wind warranty on Timberline® HDZ™ Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or air ventilation. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.co/LBS for qualifying GAF products.

² StainGuard™ algae protection is available only on shingles sold in packages carrying the StainGuard™ logo. Products with StainGuard™ algae protection are covered by a 10-year limited warranty against blue-green algae discoloration. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.

³ To be mixed on one roof, Timberline® HDZ™ Shingles and Timberline HD® Shingles must have matching 6-6 gfi codes found on the end of the bundle. When mixed, always use Timberline HD® installation instructions.

⁴ Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

⁵ Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence (or eligible second owner(s)) owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires use of GAF Lifetime shingles only. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires use of any GAF Lifetime Shingle and any 3 qualifying GAF accessories. See GAF Roofing System Limited Warranty for complete coverage and restrictions. Visit gaf.co/LBS for qualifying GAF products.

Note: It is difficult to reproduce the color closely and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.



We protect what matters most™





Color - Black



SAMPLE of PORCH ROOF